



Krishna Industries

All Type Heating Elements, Thermostat

HEAT TRACER / DOOR HEATERS

The element coil wound with fiber glass Insulation Teflon coated/ stainless steel copper/brass wire braided For cold Storage doors, Drain pipes, Cooling coils, Tray etc. 230V/1 PH. Available in Standard Lengths of 2, 3, 6, 11, 25, & 50 mtr.

Sl. No. 101 - Single Side Connection	353 Per Metre
45w/mtr. 230 volts Ac 50 Hz	
Sl. No. 102 - Double Side Connection	203 Per Metre
23w/mtr. 230 volts Ac 50 Hz	



DEFROST HEATERS

For trays, cooling & condensing coils, refrigerators Deep Freezer etc. Both ends of heaters are sealed & with silicon lead for connections.

Sl. No. 103 - DH	/ each
(Price on request)	



FINNED STRIP HEATERS FOR AIR CONDITIONING

Finned Strip Heaters are made of Sheathing having terminals at one end, two holes for horizontal installation. Specially enlarged fins are provided to give long life end more heating surface. Caution: Must be installed in horizontal & flat position, in forced air direction only.

Caution : Must be installed in horizontal & flat position, in forced air direction only.

Cat No.	Watts Length	Volts Length	Total	H to H Price () / each
Sl.No. 104-FSH-05	500	240	12"	10.25" 457/-
Sl.No. 105-FSH-07	750	240	12"	10.25" 475/-
Sl.No. 106-FSH-10	1000	240	18"	16.25" 520/-
Sl.No. 107-FSH-15	1500	240	18"	16.25" 567/-
Sl.No. 108-FSH-20	2000	240	29"	27.25" 635/-
Sl.No. 109-FSH-25	2500	240	33.5"	32.75" 697/-
Sl.No. 110-FSH-30	3000	240	33.5"	32.75" 702/-
Sl.No. 111-FSH-30+	3000	240	33.5"	32.75" 777/-
Sl.No. 112-FSH-35	3500	240	33.5"	32.75" 830/-



HEATING UNIT FOR HOT WATER GENERATORS

Construction: This element is made from Incoloy/ Stainless Steel/ Copper sheathing brazed with M.S. Flanges suitable for melting flange, elements are designed for 70 watts/sq. Inch max. Available in diifferent wattage from 2kw to 100kw. 230/440 Volts. Ac. Hz.

Sl.No. WG 113	Rs.	/ each
(Price on request)	(i)	



BOBBIN STAINLESS STEEL /

LEAD COVERING/GLASS (38mm dia)

These are rewirable type elements and inserted in the tubing of lead / glass / silica / titanium / stainless steel etc Its terminals are coverd with cap. Fitted with flange, for installation, Red marks indicate HOT & COLD portion.

Supply Voltage 230V / 1Ph. /AC / 50Hz.

Cat No.	Watts	Total Length	Effective Length	Cold Length	List Price () Each
Sl.No. 114-SSL-20	2000	24"	18"	6"	1805/-
Sl.No. 115-SSL-30	3000	30"	24"	6"	2375/-
Sl.No. 116-SSL-40	4000	36"	30"	6"	2755/-



FINNED M'N' TYPE HEATERS FOR WINDOW TYPE AIR

CONDITION Made from special steel/ Stainless steel/ Incoloy in precised with continues finns of Stainless steel/ G.I. Especially designed are provided for mor deception of heat / more life. Caution : Must be installed in outlet of air with thermostat. & Thermal Cut-Out Supply Voltage 230./1Ph./AC/50Hz

Cat No.	Watts	Price () / each
Sl.No. 117-MNO- 15	1500	544/-
Sl.No. 118-MNO- 20	2000	604/-
Sl.No. 119-MNO- 25	2500	667/-
Sl.No. 120-MNO- 30	3000	725/-



FINNED AIR HEATERS DOUBLE TUBE TYPE FOR AIR CONDITIONING ETC.

LONG LIFE HEATERS finned air Heaters are consisting of two tubular mineral filled elements in one Unit: Finns are provided for quick dissipation of Heat. It can be installed in any position as per space requirements. Its 50% wattage can be utilized it required. It is having long life that is why is called "Long life Heater" Main teature of this heater is being Compact one you can have maximum wattage In the minimum space.

Note : New Introduction Built thermostate 30-150 c additional peice 345.00 each

Cat No.	Watts	Volts	Total Length	H to H Length	Price () Each
Sl.No. 121-DTA-15	1500	230	12"	10.25"	950/-
Sl.No. 122-DTA-20	2000	230	18"	16.25"	1262/-
Sl.No. 123-DTA-20+	2000	230	29"	27.25"	1490/-
Sl.No. 124-DTA-30	3000	230	24"	22.25"	1490/-
Sl.No. 125-DTA-30+	3000	230	33.5"	32.75"	1715/-
Sl.No. 126-DTA-40	4000	230	36"	34.25"	1950/-





INDUSTRIAL HEATING ELEMENTS

OIL IMMERSION HEATER FOR OIL TANKS ETC.

Manufactured out of special steel tube brazed to M.S. Flange provided with thermostat. Used for fuel oil heating, oil circulating, oil jacketing etc.

Caution: To be fully immersed in before putting in operation.
Supply Voltage 415V/ 3Ph./ AC/50Hz.

Cat No.	Watts	Volts	Flange	Length (BSPP)	Price ()/Each
SI.No.127-DLI-20	2000	230/415	2 1/2"	440	785/-
SI.No.128-DLI-30	3000	230/415	2 1/2"	440	1194/-
SI.No.129-DLI-40	4000	230/415	2 1/2"	580	1232/-
SI.No.130-DLI-50	5000	230/415	2 1/2"	600	1333/-
SI.No.131-DLI-60	6000	230/415	2 1/2"	650	1396/-
SI.No.132-DLI-90	9000	230/415	2 1/2"	650	1473/-
SI.No.133-DLI-120	12000	230/415	2 1/2"	760	1576/-



INDUSTRIAL WATER IMMERSION HEATER FOR HOT WATER GENERATOR, TANKS & BOILERS ETC.

Made out of Copper/ stainless/ Incoloy Tube brazed to brass flange and duly nickle plated. Allt Industrial water immersion heaters are meant to heating water only and these must be fully immersed in water before putting them in operation.

Option :- Built in thermostat for long life
Supply Voltage 1Ph./ 3Ph./AC/50Hz.

Cat No.	Watts	Volts	Flange (BSPP)	Length	Price () Each
SI.No. 134-IWI-20	2000	230	1 1/4"	220	795/-
SI.No. 135-IWI-20+	2000	230	1 1/2"	220	942/-
SI.No. 136-IWI-30	3000	230/415	1 1/4"	280	872/-
SI.No. 137-IWI-30+	3000	230/415	1 1/2"	220	995/-
SI.No. 138-IWI-30++	3000	230/415	2"	220	1247/-
SI.No. 139-IWI-40	4000	230/415	2"	260	1302/-
SI.No. 140-IWI-50	5000	230/415	2"	320	1316/-
SI.No. 141-IWI-60	6000	230/415	2"	380	1369/-
SI.No. 142-IWI-75	7500	230/415	2"	450	1711/-
SI.No. 143-IWI-90	9000	230/415	2"	500	1648/-
SI.No. 144-IWI-120	12000	230/415	2"	610	2480/-



AIR HEATER 'U' TYPE FOR BAKING CHAMBERS, OVENS ETC.

Air heaters are manufactured out of high temperature resistance chrome nickle steel tube ti withstand a surface temperature upto 600 C. Each element is provided with two adjustable fixing brackets. Note : special air heating elements and units for higher working temperature upto 650 Care also available which are used in glass Decorative / Annealing Lehr.

Supply Voltage 230V / 1Ph./AC / 50Hz

Cat No.	Watts	Volts	Total Length	Price () /Each
SI.No.145-AHU-05	500	230	254	285/-
SI.No.146-AHU-07	700	230	450	371/-
SI.No.147-AHU-10	1000	230	610	436/-
SI.No.148-AHU-10+	1000	230	762	563/-
SI.No.149-AHU-15	1500	230	762	569/-
SI.No.150-AHU-15+	1500	230	990	640/-
SI.No.151-AHU-20	2000	230	990	653/-



FINNED AIR HEATERS 'U' TYPE FOR BLOWER TYPE OVEN ETC.

Made out of high temperature chrome nickle steel tube heaving 28mm round finns provided with 2 brackets for installion. Designed for rapid and uniform heat transfer for forced convention air heating. Ideal for usage is ducts and forced air.

Cat No.	Watts	Volts	Length	Width	Height	Price () Each
SI.No. 152-FAU-05	500	230	254	70	40	463/-
SI.No. 153-FAU-07	700	230	450	70	40	590/-
SI.No. 154-FAU-10	1000	230	610	70	40	773/-
SI.No. 155-FAU-10+	1000	230	762	70	40	895/-
SI.No. 156-FAU-15	1500	230	762	70	40	1001/-
SI.No. 157-FAU-15+	1500	230	990	70	40	1167/-
SI.No. 158-FAU-20	2000	230	990	70	40	1209/-



OVER THE SIDE ALKALINE/LEAD COVERED/CHEMICAL IMMERSION HEATERS

FOR ALL These Heaters are used for alkaline cleaning solution, cirtrus juices and very mid acid bath not corrosive to stainless steel sheet.

FOR LCL These heathers are recommended for nickel, cooper or chrome, olating bath and sulfuric acid solution having not the 10% concentration.

Caution : These heaters are not recommended for any other acid.

FOR CIT These heaters are generally used for plating batch such as nickles, chrom, gold, silver including ferric and iron chloride solution bright dips and nickles cintainnig, nitric, Phosparic and chromic acids, permagennates, persulphats. Supply Voltage 230V / Ph. / AC / 50Hz.

Cat No.	Watts	Volts	Total Length	Cold Length	Price () Each
SI.No. 159-ALI-20	2000	230	525	200	1242/-
SI.No. 160-ALI-30	3000	230	685	300	1438/-
SI.No. 161-LCI-20	2000	230	625	200	2551/-
SI.No. 162-LCI-30	3000	230	685	300	2866/-
SI.No. 163-CIT-20	2000	230	525	200	4505/-
SI.No. 164-CIT-30	3000	230	685	300	5773/-




AXIAL FLOW FANS

SI. No. 165- Axial Flow Fans, Watt : 65-1200

RPM: 900-2400, Voltage : 230v/1ph&

415v/3ph/AC/50Hz Size (Sweep) : 200-800mm (8"-32"),



Long Life Low Cost



INDUSTRIAL HEATING ELEMENTS

CHEMICAL IMMERSION HEATER

TITANIUM SHEATH CASTED SPECIFIC FEATURES:

- (i) Mineral filled elements are casted in imported titanium tubes for long life of the heaters.
- (ii) Specially designed for easy installations having sealed heavy terminal box to prevent from moisture and fumes. Must be dipped inside the chemical upto red mark which indicates cold length. The porcelain elements are inserted in titanium tube of 1" dia and terminal head on upper side sealed to prevent from moisture and fumes.

Supply Voltage 230V/1Ph./AC/50Hz.

Cat No.	Watts	Total Length	Effective Length	Cold Length	List Price () Each
Sl.No. 166-CIH-20	2000	24"	18"	6"	2385/-
Sl.No. 167-CIH-20	3000	30"	24"	6"	2642/-
Sl.No. 168-CIH-20	4000	45"	36"	9"	3412/-



BOBBIN SILICA TUBE COVERING (45mm dia)

Cat No.	Watts	Total Length	Effective Length	Cold Length	List Price () Each
Sl.No. 169-CIH-20	2000	24"	18"	6"	4465/-
Sl.No. 170-CIH-30	3000	30"	24"	6"	4769/-
Sl.No. 171-CIH-45	4500	36"	30"	6"	5652/-



CRANK CASE HEATERS FOR A/C COMPRESSORS

Are made from Brass/ Stainless Steel/ Special Steel and used to heat oil in various makes of following Air Conditioning Compressors. having flanges for fixing in Compressors, Some heaters have provision for

Thermostat and operated at 230V.AC 50Hz.

Sl. No. 172- CCH, Sl.No. 149-HCH, Sl.No. 173 - FC



CC
(Carrier/Voltas 15 TR)



FC-50
(Frick)

BAND HEATERS/ DRUM HEATERS WITH SS COVERING

Construction: These heaters can perform at higher operating temperatures, providing long service for high productivity of plastic extrudes, injections & blow moulding machiens and drum

Sl. No. 174 - BDH

(Price on request)



PORCELAIN HEATER

These heaters are replaceable type & used for Geysers, Water, Oil, Chemical tanks, Hot Air Chambers. Also made against customers specifications.

Cat No.	Watts	Volts	Lengthh	Price () Each
Sl.No. 175-HP-20	2000	230	24"	690/-
Sl.No. 176-PH-30	3000	230	30"	865/-
Sl.No. 177-PH-45	4500	230	36"	1160/-



FRESH AIR FAN RPM - 1400 / 900

Cat No.	Size	Price() / Each
Sl. No. 178 - FAF - 225mm		1045/-
Sl. No. 179 - FAF - 300mm		1149/-



COMBISTAT

Sl. No. 180 - PC 399, 11" @ 315/-

DOMESTIC HEATING ELEMENT

PORCLAIN HEATERS FOR VENUS GEYSERS

Sl. No. 181 - PH 644, 10/10" @	382/-
Sl. No. 182 - PH 645, 15/12" @	402/-
Sl. No. 183 - PH 646, 15/14" @	422/-
Sl. No. 184 - PH 647, 20/12" @	442/-
Sl. No. 185 - PH 648, 20/14" @	462/-



WASHING MACHINE HEATING ELEMENTS

Sl. No. 186- WM - 15 @ 363/-



CUP TYPE TRINGULAR

Sl. No. 187 - CT T 15 @	335
Sl. No. 188 - CT T 20 @	345



USHA TYPE

Sl. No. 189 - CT U 20 @	411
Sl. No. 190 - CT U 20 @	443
Sl. No. 191 - Usha	
Small Cup 20 @	475



Long Life Low Cost



DOMESTIC HEATING ELEMENTS & THERMOSTATES



RACOLD-ETERNO
Sl. No. 193 - SF E 20 @ 635

**INSTANT
MIDGET ELEMENTS**
Sl. No. 194 - IH(J)30 Flange @ 393
Sl. No. 195- IH(J) (P) @ 399



**INSTANT
MIDGET ELEMENTS**
Sl. No. 196 - IH (N) 30 Nipple @ 383

**INSTANT
MIDGET ELEMENTS**
Sl. No. 197 - IH C 30 Cup @ 383



BAJAJ MAJESTY
Sl. No.198 - of M 20 @ 573

BAJAJ CLIP ON
Sl. No.199-PBend/Straight @ 475
Sl. No.200-PClip on 20 @ 541



**RACOLD NEW TYPE
(Solarise)**
Sl. No. 201-RS-20 @ 835



RACOLD MTS GEYSER
Sl. No. 202 - RM 20 @ 440



KETTLE HEATING ELEMENTS
Sl. No. 203 - Autocut KA 15 @ 423
Sl. No. 204 - Autocut KA 20 @ 443



KETTLE HEATING ELEMENTS
Autocut Sterlizer
Sl. No. 205 - KA S 15 @ D 423
Sl. No. 206 - KA S 20 @ 443



KETTLE HEATING ELEMENTS
Non Auto / Direct
Sl. No. 207 - KN 15 @ 360
Sl. No. 208 - KN 20 @ 378



BSPP 1 1/4"
Sl. No.209-CW 20 @ 451



BSPP 1"
Sl. No. 210-PCW 20 @ 396

**Water
Immersion Heater**
Sl. No.211-IR 10 (PG) @ 350
Sl. No.212- IR15 (PG) @ 397
Sl. No.213-IR 20 (PG) @ 431



Thermostat
Sl. No. 214 - T/H 7" @ 95
Sl. No. 215 - T/H 11" @ 105

Tank Heater (BTH)
Sl. No. 216-TH 20 (BSPP 1 1/4") @ 556
Sl. No.217-TH 20 (BSPP 1 1/2") @ 616
Sl. No. 218-TH 30 (BSPP 1/4") @ 616
Sl.NO. 219-TH 30+ (BSPP 1/2") @ 663



Racold - Alto
PSF A 20 @ 695
Sl.NO. 220



SPHERHOT CUP
Sl. No.192 - CT SH 20 @ 335

Terms & Conditions :-

1. Taxes - GST Extra
2. Prices - Ex. Works, Packing, Forwarding Insurance Extra.
3. Delivery - Ready Stock / Within 20 Days.
4. Payments - 33% Advance with order & Balance before delivery by **IMPS/NEFT/RTGS**
5. The prices given are subjected to change without prior notice.
6. This price - List cancel our all previous price list.

Krishna Industries

Shop.: 1670, Kucha Dhakni Rai, Netaji Subhash Marg, Darya Ganj, New Delhi-110002

Regd. Off. : 303, 3rd Floor, T C Jaina Complex, 2-B, Netaji Subhash Marg, Darya Ganj, New Delhi-110002

M : +91-11-41420289, 43505923, 9212308162

Email : krishnaindustries.rk@gmail.com, Website : www.krishnaheaters.com

Long Life Low Cost